












06 / 2013 / 000





44010252\_02











**4**



**5**











**6**




**C**







**C**



|       | <b>X</b> |
|-------|----------|
| K 450 | 80       |
| K 500 | 96       |
| K 600 | 133      |



7





## Installation dimensions

### Heights


|              |                   |             |
|--------------|-------------------|-------------|
| <b>VSA 3</b> | 1200 mm - 1450 mm | (4 baskets) |
| <b>VSA 4</b> | 1450 mm - 1700 mm | (4 baskets) |
| <b>VSA 5</b> | 1700 mm - 1950 mm | (5 baskets) |
| <b>VSA 6</b> | 1900 mm - 2140 mm | (5 baskets) |

## Basket dimensions


| Cabinet | Basket width | Basket depth | Basket height  |  |
|---------|--------------|--------------|----------------|--|
|         |              |              | Classic Saphir | Premea Premea Glassline Premea Artline |
| 450     | 350          | 395          | 75/115         | 84/124                                 |
| 500     | 400          | 395          | 75/115         | 84/124                                 |
| 600     | 500          | 395          | 75/115         | 84/124                                 |

## Basket variants


Classic




Saphir




Premea




Premea Glassline



Premea Artline



## Cabinet dimensions




## Finish

**Fitting:** RAL 9006 silver, clear finish

**Baskets:** chrome  
RAL 9006 silver, clear finish

**Load:** slide 75 kg

## Damping



**Please note:** The cabinet must be securely fastened to the wall to prevent it from tilting. Appropriate fixing material is not supplied with the cabinet.

We reserve the right to make technical changes and to improve product specifications.